

Reliability Laboratory

TEST REPORT

報告號碼: YC20001/2021

頁數: of

日期: February 22, 2021

羿淇材料有限公司 台南市歸仁區文化北街 21 號 3 樓

以下產品由客戶提供並確認規格如下:

發光提示繩 LIGHT-EMITTING WARNING ROPE 產品名稱:

產品型號/編號: TR-AA005141/ No.1

生產或供應廠商: 羿淇材料有限公司

原產國: 台灣

數量: 共1件

測試執行日期: Feb. 9, 2021

我們依照客戶要求,根據客戶送交之樣品進行測試,結果如下:

委託測試要求: 外殼保護程度試驗 (IEC 60529 Edition 2.2: 2013)

<u> </u>			
IP碼	IPX7		
第一數字碼	省略無表示		
第二數字碼	防水保護等級		

測試結果:

結論

送測樣品經過測試符合 IEC 60529 Edition 2.2: 2013 外殼保護程度試驗--IPX7 試驗 要求及合格判定準則。測試結果之詳細說明如附頁所示。

> Signed for and on behalf of SGS TAIWAN Ltd.

邱鄭霖 副理

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, which is document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd

台灣檢驗科技股份有限公司

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan

可靠度實驗室/新北市五股區新北產業園區五權路31號 t (886-2) 2299-3279 f (886-2) 2299-9558



Reliability Laboratory

TEST REPORT

報告號碼: YC20001/2021

頁數: of

外殼保護程度試驗:

試驗設備:

	廠牌	型號	序號
IPX7/IPX8 防水試驗水槽	SGS	Self-made	OPK-0026

實驗室環境條件:

(15 ~ 35)°C 環境溫度:

環境濕度: $(25 \sim 75) \% RH$

台南市新市區國際路17號3樓之1 試驗場址:

試驗方法/規格:

試驗規範: IEC 60529 Edition 2.2: 2013--IPX7

防水保護試驗:

樣品狀態: 操作狀態

試驗方法: 樣品依客戶所指定之正常使用狀態,完全浸沒於水中。

樣品架設方式: 如下標示 "●"之方式

> 高度未滿850 mm之待測外殼,其最底端應在水面下1 m之位置 高度超過850 mm之待測外殼,其最頂端應在水面下150 mm之位置

試驗時間: 30分鐘

試驗裝置: 如照片3,4所示

試驗後檢查待測物外殼之內部是否有進水之情形。

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, which is document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan



TEST REPORT

報告號碼: YC20001/2021

頁數: 3 of

代測樣品:

型號/編號:

TR-AA005141/ No.1

數量:

共1件

測試結果:

防水保護 笔级(IPX7)

試驗結果			
檢查項目		樣品型號/編號	
		TR-AA005141/ No.1	
1	待測物外殼之內部是否有進水情形?	否	
2	(續1) 電線或電氣元件附近是否有水滯留?	N/A	
2.1	(續 2) 外殼內部浸水時,是否足以阻礙內部器具正常動作及安全之 虞?	N/A	
2.2	(續 2.1) 是否於沿面距離之絕緣物表面附著有產生電弧軌跡之虞的水分?	N/A	
2.3	(續 2.2) 導致未被設計為在潮濕情形下可運轉之帶電部或繞組受潮?	N/A	
	N/A 表示不適用 上述檢查項目係參考 IEC 60529 Edition 2.2: 2013 試驗要求並依照客戶提供之判	定準則實施。	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions in the imitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Pollability Laboratory No. 31 Wit Charatory N

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan

SGS Taiwan Ltd.




TEST REPORT

報告號碼: YC20001/2021

頁數: 4 of

試驗照片:



- 以下空白 — — —

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions in the imitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Pollability Laboratory No. 31 Wit Charatory N

SGS Taiwan Ltd.

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan

可靠度實驗室/新北市五股區新北產業園區五權路 31 號 t (886-2) 2299-3279 f (886-2) 2299-9558

www.tw.sgs.com Member of SGS Group